

# Green Lake County Aquatic Invasive Species Plan

A guide for proactive AIS management in Green Lake County



Courtesy of Green Lake Association

Left to right: Green Lake, Spring Lake, & Twin Lakes.



**Revised December 2018**

Anna Cisar, *Regional AIS Coordinator*

Original document created by Chris Hamerla 2015

*Regional AIS Coordinator*

Golden Sands Resource Conservation & Development Council, Inc.

**In partnership with**

Green Lake County Land Conservation Department, Green Lake Association, & Green Lake Sanitary District

## ***Acknowledgments***

This county-wide aquatic invasive species (AIS) plan was developed using *Aquatic Invasive Species: A Guide to Proactive and Reactive Management, 2006*, written by Carolyn Scholl, Vilas County Land & Water Conservation Department. Thanks to Carolyn for her permission to use her guide as a template in the development on this AIS plan.

Further input was provided by:

Paul Gunderson, County Conservationist, Green Lake County Land Conservation Department

Derek Kavanaugh, Conservation Technician, Green Lake County Land Conservation Department

Matt Kirkman, Director of Land Use Planning & Zoning, Green Lake County Planning & Zoning Department

Krista Kamke, Code Enforcement Officer, Green Lake County Planning and Zoning

Charlie Marks, Sanitary District Administrator, Green Lake Sanitary District

Stephanie Prellwitz, Executive Director, Green Lake Association

Amy Thorstenson, Executive Director, Golden Sands Resource Conservation & Development

Ted Johnson, Water Resources Specialist, Wisconsin Department of Natural Resources

## ***Project Funding***

Funding for development and revisions of this management plan has been made possible by an AIS grant from the WDNR Lakes Grant Program (project AEPP-405-13).

## *Table of Contents*

Introduction.....	4
Proactive management steps.....	5
Step 1: Gather information about aquatic invasive species (AIS).....	5
Table 1: AIS presence in Green Lake County.....	15
Recommended actions.....	16
Step 2: Protect and restore native vegetation.....	16
Figure 1: Shoreline in need of restoration.....	17
Figure 2: Restored shoreline.....	17
Recommended actions.....	18
Step 3: Conduct AIS monitoring.....	19
Figure 3: Secchi disc.....	19
Recommended actions.....	20
Step 4: Spread the word about AIS.....	21
Figure 4: Volunteers collecting plant samples for a plant ID workshop.....	21
Figure 5: Identifying each plant species that the volunteers collected.....	21
Figure 6: “Prevent the spread” sign.....	22
Figure 7: “Exotic Species Advisory” sign.....	22
Recommended actions.....	23
Step 5: Distribute the workload.....	24
Recommended actions.....	24
Step 6: Involve local government.....	24
Recommended actions.....	25
Step 7: Plug into the “lakes community” network.....	25
Recommended actions.....	27
Step 8: Be creative!.....	27
Implementation schedule.....	29
Appendix A.....	31
Appendix B.....	32
References.....	33

## ***Introduction***

Green Lake County has 10 public access lakes and multiple public access points to the Fox River. Many streams and marshes also exist, which are equally susceptible to harm from invasive species, though the species of primary concern may differ.

Half the lakes in Green Lake County have established lake associations or lake districts to help with management of the lakes. Lake districts and lake associations can help to monitor the lakes, disseminate information quickly and efficiently, and create a collaborative effort through hosting meetings and workshops. There are a few lakes that do not have organized lake groups, and this can present a challenge in aquatic invasive species (AIS) management. Since 2012, Green Lake County Land Conservation Department (LCD) has collaborated with Marquette County Land and Water Conservation Department, Green Lake Association and Golden Sands Resource Conservation & Development Council, Inc. (RC&D) to acquire grant funding from the Department of Natural Resources (DNR) to support a Regional AIS program. Since then the regional program has grown into a larger collaboration between 8 counties: Marquette, Green Lake, Marathon, Portage, Taylor, Waupaca, Waushara and Wood.

Through the Regional AIS Program, information was gathered about the status of AIS infestations in Green Lake County, volunteer activity levels, training and education needs, and other information regarding AIS in Green Lake County.

The purpose of this AIS plan is to identify short-term and long-term goals toward establishing a coordinated, county-wide approach to protecting Green Lake County's lakes.

**This AIS plan is meant to be a dynamic document**, to be updated and changed as new goals and challenges are identified.

## *Proactive Management Steps*

It is in the best interest of any citizen organization or community to initiate actions today in order to avoid AIS problems tomorrow. Take a proactive management approach to lake protection. Proactive management activities need not be costly, but they can make a world of difference.

As the old saying goes—an ounce of prevention is worth a pound of cure. The same is true for preventing an invasion of AIS in your favorite lake. If efforts are kept at a “prevention” level, the costs to your group (in time, money, and frustration) will be far lower than the costs involved with dealing with AIS at a “control” level.

*Take action today to  
avoid AIS problems  
tomorrow.  
Be prepared and be  
proactive!*

### **Step 1: Gather Information about Aquatic Invasive Species**

Prior to 2012, individual lakes may have known about the aquatic invasive species within their own waters, but not much was known about AIS distribution in Green Lake County. In response to this, visual AIS surveys were completed in 2013 and 2014 by Golden Sands RC&D staff, visual surveys have continued as needed to determine population growth, management effectiveness and to look for new AIS. These surveys are conducted from kayaks or boats. All AIS locations were recorded with GPS and maps were created with the assistance of county staff. Surveys covered the littoral zone and the shoreline for the following species:

- > Eurasian watermilfoil (*Myriophyllum spicatum*)
- > Curly-leaf pondweed (*Potamogeton crispus*)
- > Zebra mussels (*Dreissena polymorpha*)
- > Rusty crayfish (*Orconectes rusticus*)
- > Banded mystery snail (*Viviparus georgianus*)
- > Chinese mystery snail (*Bellamya chinensis*)
- > Japanese knotweed (*Polygonum cuspidatum*)
- > Purple loosestrife (*Lythrum salicaria*)
- > Flowering rush (*Butomus umbellatus*)
- > Yellow Iris (*Iris pseudacorus*)
- > Common reed (*Phragmites australis*)
- > Brittle naiad (*Najas minor*)
- > Yellow floating heart (*Nymphoides peltata*)



Chris Hamerla

Surveying for AIS

All AIS detected were mapped, voucher specimens collected and filed to the UWSP Freckmann Herbarium, and recorded with the Wisconsin Department of Natural Resources (WDNR). Appropriate management bodies were notified, including WDNR, Green Lake County, and any existing Lake Associations / Districts.

Early detection of these invasive species is essential to minimize effort and cost associated with management. Well established populations of Eurasian watermilfoil or zebra mussels may never be eradicated, even with years of effort. It is impossible to overemphasize the importance of monitoring for aquatic invasive species, whether on a citizen level or local government level.

### **Eurasian watermilfoil, EWM (*Myriophyllum spicatum*)**

Introduced to Wisconsin in the 1960s as an aquarium plant, this species has quickly spread around the lakes and streams of the state. Small fragments of the plant can produce adventitious roots, creating new plants wherever the wind or currents take them. The fragments can be caused by boats, paddles, fish, waves, or other sources of disturbance. EWM tends to grow earlier in the year than most native plant species, and tends to shade out the native species. In addition to reducing biodiversity in the ecosystem, EWM also reduces the recreational value of the water body by reducing water flow, increasing temperature, and encouraging stunted fish populations (Newroth 1985; Engel 1995).



Paul Skawinski

*Eurasian watermilfoil*

Containment and possible control is much more likely, and less expensive, if the population is caught early. Hand-removal with a small garden rake, or via snorkeling and hand-pulling by the roots, can be very effective on small populations of EWM. This is why early detection is so crucial for inexpensive management. If the population is allowed to expand for several seasons before it is detected, management options are reduced, and costs rise sharply.

Deeper or more advanced populations may need scuba divers or the DASH system (Diver Assisted Suction Harvesting). DASH uses a water pump suction device mounted on a boat to transport harvested plants from the diver to a collection basin above water. The process saves time and effort of the diver having to periodically transport removed plants to the lake surface for disposal.

For larger populations, chemical herbicide applications are typically used. 2,4-D formulations are most common, which are most effective in spring or early summer, when the plant is actively growing. As 2,4-D is a systemic herbicide, it requires the plant to be actively growing in order to absorb enough of the chemical to destroy the plant.

Biological control is an emerging option that may hold some promise for naturally controlling EWM without chemicals. *Euhrychiopsis* weevils are aquatic insects that are native to many Wisconsin lakes, and feed on native northern watermilfoil (*Myriophyllum sibiricum*). The adult weevils feed on the leaves and stems of the plant, while the larvae bore into the stem and feed on the vascular tissues within. These activities often stress the plants enough to kill them, or at least

prevent flowering. More research is needed on this topic before it will be employed on a widespread basis.



Eurasian watermilfoil vs Northern watermilfoil whorl (left) whorl (right)

There are seven native watermilfoils in Wisconsin, and at least three of those occur in Green Lake County lakes (*Myriophyllum sibiricum*, *M. verticillatum*, *M. tenellum*). Only two of those are likely to be confused with EWM.

Northern watermilfoil (*Myriophyllum sibiricum*) typically has whitish stems, whorled leaves with 11 or fewer pairs of leaflets, and a fairly rigid growth form. EWM has pinkish stems, whorled leaves with 12 or more pairs of leaflets, and a very limp growth

form. Whorled watermilfoil (*Myriophyllum verticillatum*) typically has dark green to brown stems, tightly-packed whorls of leaves, and highly divided floral bracts above the water late in the season.

### **Curly-leaf pondweed (*Potamogeton crispus*)**

Curly-leaf pondweed (CLP) arrived in Wisconsin as early as the late 1800s, brought here as an aquarium plant, and possibly introduced accidentally during stocking of the common carp (*Cyprinus carpio*). CLP is still occasionally sold by some internet-based aquarium supply stores.

CLP has an atypical life cycle, growing to peak biomass in mid-June. At this time, most of the plants die back to the rhizome, and the nutrients contained in these plant tissues are released into the water column. This nutrient release often results in an algae bloom, sometimes containing blue-green algae (cyanobacteria) like *Microcystis*. Blue-green algae release a neurotoxin that can harm humans and pets that come in contact with the water.



Curly-leaf pondweed

CLP spreads by rhizomes, seeds, and turions, which makes it very difficult to control. Turions are known to remain viable for more than five years, so herbicide applications need to be re-applied for at least five consecutive years to deplete the storage of turions in the substrate (Johnson et al. 2012). Harvesting of CLP can be done in May, before turion production occurs. This can remove the biomass of the CLP and possibly prevent turion and seed accumulation for that season.

There are over thirty species of pondweeds (*Potamogeton* spp.) in Wisconsin, and two of them are commonly confused with CLP. Claspingleaf pondweed (*Potamogeton richardsonii*) has wavy leaves with a smooth margin. Fern pondweed (*Potamogeton robbinsii*) may have very fine serrations on the leaf margins, but the leaves are typically straight, and the plant tends to be dark green to brown. CLP has very wavy leaves with serrations on the margins.

### **Zebra mussels (*Dreissena polymorpha*)**

Zebra mussels are small mollusks that are native to the Black and Caspian Seas of western Asia. They are filter-feeders, straining tiny plankton out of the water column, and therefore remove the base of the aquatic food web. Large zooplankton and small fishes depend on this same food source, so Dreissenid mussels like zebra mussels and the related quagga mussel (*Dreissena rostriformis*) can have detrimental effects on fish populations and sizes in affected lakes.



Paul Skawinski

*Zebra mussel shell  
(actual size)*

Control of zebra mussels is very difficult and expensive. Power plants and other near-shore businesses often pipe water out of large lakes and rivers to cool their machinery, and these pipes can quickly become clogged with zebra mussels, causing reduced flow and reduced cooling ability. These businesses often inject low doses of chlorine into the pipes to kill the mussels, or they shut off the pumps and send divers into the pipes to manually scrape the walls clean. There is currently no good option to remove zebra mussels on a large scale. A biological control option using a bacterium has been researched, evaluated, and tested in several lakes in Minnesota. This type of control could become an option in the future if it continues to be deemed safe and effective.

Zebra mussels and quagga mussels are usually less than one inch long, with white and black striping across the shell. Zebra mussels tend to be D-shaped, while quaggas are more rounded on both the dorsal and ventral sides. A simple test to differentiate the two species is to stand the entire closed shell on its side—if it can remain standing, it is a zebra mussel. If it falls over, it is a quagga mussel.

### **Rusty crayfish (*Orconectes rusticus*)**

Native to the Ohio River Basin, rusty crayfish were probably introduced here as fishing bait. Rusty crayfish prefer well-oxygenated, flowing water with a rocky substrate for shelter. They are omnivorous, feeding on everything from fish eggs to invertebrates to aquatic plants. When native crayfish are present in the same ecosystem, rusty crayfish will often kill them or simply push them out of the prime habitats, making the native crayfish more susceptible to predation, or less likely to have adequate resources for survival. Rusty crayfish are easily recognized by the rust-colored spot on each side of their carapace (“shell”).



Paul Skawinski

*The rusty colored spot  
gives the crayfish its name*

Trapping rusty crayfish can have a localized reduction effect, but nearby rusty crayfish populations in the same body of water are likely to immigrate to the trapping area soon after efforts cease. Natural predation of rusty crayfish occurs by otters, shorebirds, turtles, large fish, raccoons, and other creatures. Despite substantial natural predation, the rusty crayfish's high reproductive rate and tendency to hide under large rocks enable it to easily establish large populations in many waters.

**Chinese mystery snail (*Bellamya chinensis*) and Banded mystery snail (*Viviparus georgianus*)**

Chinese mystery snails were brought to the United States in the late 1800s as a food source in Asian food markets. Both snails have also been sold as algae-eating pets for water gardens, aquaria, and backyard ponds. A likely method of introduction to the natural environment is through this ornamental trade vector.

Little research has been done on the impact of these snails. Both banded and Chinese mystery snails are known to compete with native snail populations for resources, and may cause decreases in native snail diversity or abundance. Large die-offs have been observed, which can cause foul-smelling messes along shorelines. Both snails are possible vectors of various parasites and viruses (Harried et al. 2015; David et al. 2017).

Control of mystery snails is currently limited to manual removal with small hand tools. Mystery snails have a tough operculum at the opening of the shell, which is able to create a watertight seal. If a chemical pesticide is applied, the mystery snails can close up their shells and wait for the toxic substance to dissipate. Most native snails do not have this ability, and will be subjected to the chemical.



Above: Banded mystery snail  
Left: Chinese mystery snail

Chinese mystery snails can grow up to nearly 7cm tall (2.9 inches), which is larger than any of our native snail species. They are typically dark brown, and may have several vertical ridges on the shell near the opening.

Banded mystery snails are commonly about 2cm long, with dark brown bands running horizontally along the shell.

Unlike most snails, which lay gelatinous egg masses on rocks, logs, or vegetation, mystery snails give birth to live young with complete shells.

**Japanese knotweed (*Polygonum cuspidatum*)**

Japanese knotweed has been planted as an ornamental shrub for decades, due to its tendency to grow in thick, straight rows about 10ft high. The plants light up with bright white flowers in the mid-summer, which originate from the base of each heart-shaped leaf. It can grow in dry sites, but does exceptionally well in moist soils like riverbanks or roadside ditches. Although sold as Japanese bamboo or Mexican bamboo in garden centers, Japanese knotweed is actually a member of the *Polygonaceae* family, totally unrelated to the true bamboos. A similar species, giant knotweed (*Polygonum sachalinense*), is also invasive and present in Wisconsin.



Japanese knotweed leaves and flowers

Paul Skawinski

Controlling Japanese knotweed is very difficult once it is established. The rhizome network is very deep and very extensive. Foliar herbicide applications can be effective, but typically require multiple applications to have any measurable effect on the colony. Cutting the stem near to the ground and pouring herbicide into the hollow stem has proved to be effective. The herbicide will be continuously absorbed by the plant over a short period of time, taken up into the root systems. This can be very effective at killing the plant, sometimes with just one or two applications. Cutting back re-growth is vital to management after herbicide treatments, so as to minimize energy acquired by the roots. Since Japanese knotweed often occurs near water, care should be taken to ensure that the herbicide is safe for use in aquatic habitats. Certain herbicides can be toxic to amphibians, and should be avoided.

**Purple loosestrife (*Lythrum salicaria*)**

Purple loosestrife was imported to the United States as an ornamental species, and continued to be sold until recently. It is a wetland perennial with woody stems, and commonly reaches a height of 6 feet or more. Leaves are generally opposite, but may be in whorls of threes on older plants. Stems are typically square, but may be six-sided on older plants.



Paul Skawinski

*Purple loosestrife*

The Purple Loosestrife Biocontrol Program has been very successful in Wisconsin. This program utilizes volunteers to raise *Galerucella* beetles, which feed on the foliage of purple loosestrife. These beetles often stress the plant enough to stunt them, or even prevent flowering. These beetles are native to the same area of Eurasia as purple loosestrife, and were imported here as a natural predator. Testing results suggest that other plant species will not be affected by the *Galerucella* beetles. The goal of this program is to allow purple loosestrife to live not invasively, but harmoniously with the other native plants that also have their natural predators present.

Chris Hamerla



*Galerucella beetle on purple loosestrife*

Cooperation between students and teachers at Markesan High School, the Green Lake Sanitary District, and citizens has formed a great partnership to build and keep the biocontrol program active. This partnership includes a mass rearing cage for the beetles that the Sanitary District hosts.

Herbicide application can be effective to manage purple loosestrife. Systemic herbicides work best, as they affect the shoots as well as the roots. Applying herbicide in late summer to fall allows the herbicide to be carried down into the roots along with the general downward flow of nutrients for underground storage

**Flowering Rush (*Butomus umbellatus*)**

Flowering rush came to the United States from Europe as an ornamental plant for gardens. It has since spread to shorelines and water bodies, able to become invasive in both places, due to its

emergent and submergent forms. Flowering rush can form dense stands, crowding out native plants, and interfering with water uses.

Paul Skawinski



*Flowering rush in bloom*

It is most easy to identify when in bloom; however, only plants growing in shallow water or along the shoreline produce flowers. Its flower stalks protrude in an umbel formation from a single point on the end of the stem. Each individual flower has three pinkish colored petals and three sepals. When not in bloom, its green stems are easily mistaken for other emergent plants; however, flowering rush stems are triangular in the cross section. The leaves can grow to be about three feet high on shorelines, twisting at the tip on some plants. Submergent plants have no flowering stalks, and long thin leaves.

Their strong, robust root systems can produce new plants when fragmented. The plants spread primarily by their rhizomes, and can be further spread by boaters, or any animals that fragment these rhizomes. Reproductive structures called bulbils form on the roots and inflorescence, and break off to form new plants. Changing water levels can also influence the spread of submergent or emergent flowering rush.

Control methods of flowering rush have proven difficult to implement. The plants can grow in varying water levels, and have strong root systems that grow from fragments, making it difficult to use consistent methods of removal. Flowering rush has also proven to be resistant to herbicides, prompting scientific studies using multiple herbicides, but these methods are still in experimental stages.

### **Yellow Iris (*Iris pseudacorus*)**

Native to Europe and the Mediterranean region, yellow iris came to the U.S. in the 1950s as an ornamental plant.

They now grow along streambanks, wetlands, lake shorelines, and other wet areas. Yellow iris grows to 5 feet tall, with long, flat narrow leaves that overlap at the base, forming a slightly fanned shape. They have bright yellow flowers that bloom from May to



*Yellow Iris has a showy, yellow flower*

Paul Skawinski

June in Wisconsin, making for easy identification. When not in flower, yellow iris resembles the native blue-flag iris, as well as cattails.

Yellow iris has numerous thick rhizomes. The sap of the plant is toxic, and can cause skin reactions, and stomach trouble if touched or ingested.

Yellow iris is harmful, as it displaces native vegetation and reduces habitat needed by waterfowl and fish. It can clog

Paul Skawinski



*Yellow iris leaves fan out from the base*

small streams and irrigation systems, and it can dominate shallow wetlands, wet pastures and ditches. Mats formed by the rhizomes can prevent the germination and seedling growth of other plant species.

Mechanical removal of the plants via cutting below the water line to inhibit oxygen intake, thus essentially drowning the plant can be successful, but will most likely have to be repeated. Digging the plants out by the roots can be successful, but it is very labor-intensive; the rhizomes are also able to re-sprout from the fragments, so the plants may survive if any fragments are left behind.

Chemical treatment with herbicide can be effective; however it is necessary to use an herbicide labeled for use in aquatic habitats.

### **Common Reed (*Phragmites australis*)**



Paul Skawinski

*Common reed towers over many other wetland plants*

Common reed was imported to the United States from Europe. Common reed, commonly called phragmites, is a tall perennial grass that can reach heights of over 15 feet. Its robust, fluffy seed heads normally lean off to one side. It is present in every U.S state, and spreads by both seed dispersal and its underground rhizomatous root system.

Its incredibly strong, deep roots are the primary way this plant spreads, and adds to the difficulty of its removal. Manual removal is labor-intensive because of the root depth and intricate branching. If even a fragment of the root is left behind, it can re-sprout. Chemical spraying has proven a viable option for removal, but requires repeated treatments. Prescribed burning of the plants also can work, but must be repeated.

There is both an invasive and a native common reed in the United States. While invasive common reed is normally more robust than the native, they can easily be mistaken for each other, so any suspected common reed should be verified by an expert. Another grass that could also be mistaken for common reed is reed canary grass. Reed canary grass looks like a smaller version of common reed, but only grows from 3-7 feet tall, and has leaves that grow to half the width of common reed.

Common reed has been spreading across Wisconsin from east to west, and is easily spread in road corridors, as mowing it causes fragments to spread and subsequently re-sprout. Water in ditches can also carry the seeds of these hearty plants. Phragmites has been used for bioremediation, roof thatching, and duck blinds. Some plants are not entirely dead when utilized, thus furthering the spread of the invasive plant to other areas.



Paul Skawinski

*Leaves grow to be up to 2 inches wide*

**Brittle naiad (*Najas minor*)**



Chris Hamerla

Brittle naiad, also known as brittle water nymph or minor naiad, is native to Europe. Brittle naiad was first reported in the U.S. in 1934. It is thought to have been intentionally introduced from an aquarium release but was also favored as waterfowl food. From there it has made its way west to Wisconsin where it was found in Storrs Lake, Rock Co. in 2007. More recently it was found in Lake Puckaway, Green Lake/Marquette Co. in 2013 and Buffalo Lake, Marquette Co. in 2014.

Brittle naiad is an annual plant that branches often and has recurved leaves with noticeable teeth. Seeds are formed where the leaves join the stem. The plant breaks apart easily allowing it to spread readily. Seeds and fragments can be transported by boats, trailers, waterfowl and animals.

Brittle naiad is difficult to control once it is established. Manual removal of this plant can be difficult because it easily fragments. Any leftover fragments could potentially produce new plants, especially if they contain fruits. Mechanical harvesters have been used to remove brittle naiad biomass, but will likely spread the plant further via fragmentation. Successful chemical control has been achieved with herbicides. These herbicides can have negative impacts on many native aquatic plant species, so proper timing and dosage is crucial. A successful biological control agent is not known at this time.



Chris Hamerla

Recurved leaves with notable teeth.

There are two other naiads commonly found in Green Lake County: slender naiad, *Najas flexilis* and southern naiad, *Najas guadalupensis*. Neither have the pronounced recurved leaves, the teeth on the leaves are typically only visible under magnification.

**Yellow floating heart (*Nymphoides peltata*)**



Chris Hamerla

Yellow floating heart, also known as fringed water lily, is native to Europe and Asia. Since 2006 populations in seven locations throughout Wisconsin have been found. The last finding was Gordon Lake in Forest County in 2013. Although the plant population was well established, manual hand removal was successful and no plants have been observed since.

Yellow floating heart can spread by fragments, rhizomes, and seeds. The seeds are formed in pods formed

following flowering. It is a popular water garden plant but prohibited in many states including Wisconsin. Plants can be spread by boats and people transplanting them.

Chemical applications and mechanical harvesting can be successful. Smaller, early populations can be hand pulled using caution to remove as much of the roots as possible to avoid new growth. Either control plan should include monitoring for missed plants.



*Seed pods of yellow floating heart*

### **AIS presence for Green Lake County lakes**

Every lake has physical, chemical, and biological characteristics that make it a unique ecosystem. All lakes are different, so it is very important to understand what is “normal” for a particular lake under everyday circumstances.

AIS management is only one component of holistic lake management. Updated background data about the lake ecosystem, such as water chemistry, water clarity, and aquatic plant surveys would be helpful to lake groups and DNR lake managers.

#### **Why is a lake inventory important for proactive AIS management?**

1. A lake inventory tells you what is “normal” for a given lake system, and makes it easier to detect changes, such as new AIS infestations, early. The earlier the detection and response, the better your chances of controlling the problem. Treatments for pioneer populations are much more likely to have a successful outcome than if the population is well-established.
2. In order to receive approval to treat a lake chemically, an aquatic plant management plan (APM plan) is normally required. If a baseline aquatic plant inventory has already been completed as part of a lake inventory, management options to control invasive species may move forward more quickly. Consult the “Guide to an Aquatic Plant Management Plan” for complete information about Wisconsin’s APM plan requirements.  
<http://www.uwsp.edu/cnr/uwexlakes/ecology/APMguide.asp>

The following aquatic invasive species have been confirmed in Green Lake County, as of December 2018:

<b>Waterbody Name</b>	<b>WBIC</b>	<b>Invasive Species</b>
Fox River	117900	Eurasian Water-Milfoil, Hybrid Eurasian / Northern Water-Milfoil, Rusty Crayfish*, Zebra Mussel*
Grand Lake (Millpond)	161100	Curly-Leaf Pondweed, Eurasian Water-Milfoil
Grand River	159300	Rusty Crayfish
Green Lake	146100	Curly-Leaf Pondweed, Eurasian Water-Milfoil, Freshwater Jellyfish, Hybrid Eurasian / Northern Water-Milfoil, Purple Loosestrife, Rusty Crayfish, Rusty Crayfish*, Zebra Mussel
Heart Lake	103700	Curly-Leaf Pondweed, Eurasian Water-Milfoil
Hill Creek	146200	Chinese Mystery Snail, Hybrid Cattail
Little Green Lake	162500	Curly-Leaf Pondweed, Eurasian Water-Milfoil, Hybrid Eurasian / Northern Water-Milfoil, Purple Loosestrife*, Rusty Crayfish*, Yellow Iris
Little Twin Lake	146400	Chinese Mystery Snail, Eurasian Water-Milfoil, Hybrid Cattail
Mill Race	154400	Rusty Crayfish
Puckaway Lake	158700	Brittle Waternymph, Curly-Leaf Pondweed, Eurasian Water-Milfoil, Hybrid Eurasian / Northern Water-Milfoil, Viral Hemorrhagic Septicemia, Zebra Mussel*
Silver Creek	146800	Rusty Crayfish
South Branch Rock River	869800	Rusty Crayfish
Spring Lake	148100	Curly-Leaf Pondweed, Eurasian Water-Milfoil, Narrow-leaf cattail ( <i>Typha angustifolia</i> )*, Zebra Mussel*
Spring Lake	160600	Banded Mystery Snail
Twin Lakes	146500	Chinese Mystery Snail, Curly-Leaf Pondweed, Eurasian Water-Milfoil, Hybrid Cattail
Unnamed	147400	Rusty Crayfish
Unnamed	5026964	Rusty Crayfish
Unnamed	5027278	Narrow-leaf cattail ( <i>Typha angustifolia</i> )*
Unnamed	5561389	Rusty Crayfish
White River	148500	Eurasian Water-Milfoil

## *Recommended Actions*

- 1. Continue to support AIS monitoring county-wide, and complete AIS surveys for any lakes that have not yet had AIS surveys completed, continually revisit lakes**
  - a. Use CLMN-AIS monitoring protocol.
- 2. Continue to update official AIS occurrences records for all lakes and streams within Green Lake County**
- 3. Continue to update official AIS volunteer activity records**
  - a. Clean Boats, Clean Waters
  - b. Citizen Lake Monitoring Network
- 4. Continue to network with the Green Lake county lakes to implement any AIS-related elements outlined in each lake plan.**

### ***Step 2: Protect and Restore Native Vegetation***

Terrestrial and emergent vegetation that grows along the banks of a water body is also known as the “shoreline buffer”. In many ways, this buffer indirectly helps to prevent invasive plant establishment in a lake:

- 1) The buffer protects the lake by reducing soil erosion and diverting nutrients that would otherwise enter the lake and provide fuel for nuisance-level aquatic plant growth.
- 2) A healthy shoreline buffer also provides biologically diverse and healthy habitats that are important to wildlife, including the native *Euhrychiopsis* weevils that are used for biological control of Eurasian watermilfoil.
- 3) Dense vegetative cover occupies areas that would otherwise be open and available to colonization by invasive species, and provides a degree of privacy to shoreline property owners.

#### **Native vegetation is the lake’s “immune system”**

Green Lake County regulations are the same as the state standard. These regulations require a 35-foot shoreline buffer zone above the ordinary high water mark. Within this 35-foot line, no more than 35 feet per 100 feet of frontage can be clear-cut. This is often referred to the “viewing corridor” or “access corridor”, since it often runs from a house to the water. The remaining 70% serves to screen human activity, filter runoff, and prevent erosion. These regulations are in place to protect water quality by reducing sedimentation and erosion.

The shoreline buffer serves as the lake's "immune system", fending off new invaders. Encouraging landowners to follow state and county regulations or even go beyond these requirements would be beneficial to the health of Green Lake County's lakes.

Local government can protect shoreline buffers through education and state policy standards. Green Lake County Planning and Zoning can protect lake health with strong enforcement of shoreland zoning ordinances. In Green Lake County, the shoreland zoning ordinance is routinely enforced, and with enforcement comes education. The county's LCD, Green Lake Association, and Sanitary District also provide technical assistance with shoreland restoration or enhancement, and can assist landowners in locating cost-sharing options.

Starting in 2015, the Wisconsin Department of Natural Resources implemented its Healthy Lakes Initiative which provides technical assistance and information as well as potential funding for rain gardens, shoreline projects, fish sticks, and other related projects. It is meant to be a tiered approach focusing on various areas including nearshore water, shoreline, and land adjacent to the shoreline.

Use of newsletters, informational packets, news articles, videos, and previously completed restoration sites can be valuable tools to introduce the concept of shoreland restoration to landowners in Green Lake County. These tools can help to illustrate what a healthy shoreline looks like, why it's beneficial to their property and the lake, and how a restoration project can be utilized to produce a healthy shoreline.



Tom Littwin, Waushara Co. LCD)

*Shoreline in need of restoration*



Tom Littwin, Waushara Co. LCD)

*Same location after restoration*

Educational campaigns can also play a role in promoting healthy shoreline buffers. It would be in the best interest of the County to provide a packet of information to new lakeshore property owners regarding aquatic invasive species and the importance of healthy shoreline buffers. The costs associated with producing this type of informational packet may be eligible for grant funding from the WDNR's Lakes Grant Program. Some lakes, for example, the Lake Helen Protection & Rehabilitation District in Portage County have created and distributed these packets for landowners on their lake. It is an easy way to ensure that new landowners are informed of pertinent regulations and ways to protect their lakeshore investment.

## Native Aquatic Vegetation

During the summer of 2015 WDNR tested several successful enclosures with native aquatic plants in the County K marsh area of Green Lake. The enclosures will assist in establishing self-sustaining aquatic plant communities. With carp removal practices and increased plant populations water quality is hoped to increase and AIS populations kept to a minimum. Although aquatic plants are commonly thought of as “weeds”, a healthy and diverse population of native aquatic plants is a *vital* component in the prevention of aquatic invasive species. Research has shown that the abundance of EWM in a lake is inversely related to cumulative native plant cover (Madsen, 1998). For this reason, it is important to maintain healthy and diverse stands of vegetation. A thriving native plant population will compete for nutrients and living space, making it difficult for invasive species to become established.



Green Lake Association

Carp free enclosures to promote native plant growth

Other benefits to maintaining native plant populations include:

- Improved health of the sport fishery
- Protection against bank erosion
- Stabilization of the bottom sediment
- Decreased likelihood of algae blooms
- Increased water clarity
- Increased value to desirable wildlife species

### *Recommended Actions*

1. **County-wide promotion of native vegetation**
  - a. Enforce shoreland zoning ordinances
  - b. Annual review of shoreland zoning ordinances
  - c. Annual review of funding for cost-sharing incentive programs
  - d. Create and distribute informational packets to new lakeshore property owners
  - e. Promote native vegetation in news articles, citizen organization newsletters, and press releases

### Step 3: Conduct AIS Monitoring

With the growing concern over the spread of aquatic invasive species to Wisconsin's inland lakes, many concerned citizens are looking for ways to get involved. AIS monitoring and volunteer boat inspection programs are opportunities to take a front-line defense against the spread of AIS.

Professional monitoring occurs on some Green Lake County lakes however volunteer monitors are extremely beneficial to the lakes of the county. These volunteers are often lake residents, or just interested citizens of the county. **Free** training workshops are available to train volunteers on protocols of the Clean Boats, Clean Waters program and also the Citizen Lake Monitoring Network program. Golden Sands RC&D can provide these trainings by request.

*Volunteers and lake organizations are essential for early detection of AIS and maintenance of healthy lake ecosystems.*

#### Clean Boats, Clean Waters



Clean Boats, Clean Waters (CBCW) is a watercraft inspection volunteer training program sponsored by DNR, UW-Extension, and Wisconsin Lakes. Upon completion of the three-hour workshop, CBCW participants are equipped with the tools, knowledge, and confidence needed to educate lake users and perform watercraft inspections at boat landings, potentially preventing a new infestation from coming into their lake. An additional benefit of the CBCW program is that the data collected by volunteers is used to support requests for more funding and

legislative support for AIS issues.

#### Citizen Lake Monitoring Network

The Citizen Lake Monitoring Network is a well-established program designed to involve citizens in collection of pertinent lake management data. The program includes the collection of water chemistry, aquatic invasive species, native plants, and water clarity data.



Recent research has developed solid correlations between Secchi readings and many other water quality parameters. Therefore, this one inexpensive, easy-to-operate sampling tool can tell our lake managers a great deal about a lake's condition. To have Secchi monitors on every lake in Wisconsin would be a terrific advantage for managing our state's lakes.



*A Secchi disc, which is lowered into the water to measure water clarity*

A component of the CLMN program trains volunteers to monitor for eleven aquatic invasive species. The data collected by volunteers in

the CLMN-AIS program is used to support requests for more funding and legislative support for AIS issues. Citizens can monitor for any or all of the species included in the program. Monitoring means early detection of new AIS infestations, and can result in huge savings in treatment expenses and a reduction of impacts to the lake. Ideally, every lake would have trained AIS monitors.

The Green Lake County Maintenance Department is also a valuable group that could serve as monitors. Maintenance staff works throughout the county, frequently at waterfront locations. The Green Lake County Maintenance Department manages lands adjacent to Spring Lake, Green Lake, and Big Twin Lake. Maintenance staff should be trained to identify and report new AIS sightings, and they could provide valuable assistance with early detection. Annual “refresher” training on AIS is recommended for Maintenance Department staff each year.

### *Recommended Actions*

1. **Promote CLMN-AIS monitoring activity on all Green Lake County lakes**
  - a. Promote the CLMN-AIS monitoring program county-wide, with frequent news articles to promote awareness of the program and the importance of it.
  - b. Offer CLMN-AIS training workshops county-wide through the Regional AIS Program.
2. **Promote CLMN-Secchi and CLMN-Chemistry monitoring activity on all Green Lake County lakes**
  - a. Promote the CLMN-Secchi and CLMN-Chemistry monitoring programs county-wide, with news articles to promote awareness of the program and the importance of it.
  - b. Offer CLMN-Secchi and CLMN-Chemistry training workshops county-wide through the Regional AIS Program with assistance from CLMN personal.
3. **Encourage watercraft inspections on all Green Lake County lakes**
  - a. Promote the Clean Boats, Clean Waters program county-wide, with frequent news articles to promote awareness of the program and the importance of it.
  - b. Offer CBCW training workshops county-wide through Regional AIS Program.
4. **Train County staff to identify and report AIS sightings**

#### **To Report an Infestation**

##### **1) Collect a sample, if possible**

- a. Roots, stems, flowers
- b. Place in plastic bag with water
- c. Keep it in the freezer

##### **2) Contact DNR**

Ted Johnson, Water Resource  
Management Specialist  
920-424-2104  
OR  
Golden Sands RC&D  
715-343-6215

## Step 4: Spread the Word about AIS

Increasing public awareness of AIS is an important strategy in minimizing their spread. To facilitate proactive efforts from the general public regarding AIS prevention, people need to be made aware of the problems that AIS can cause.

### Youth involvement in AIS management

Students and youth organizations can get involved in AIS issues through purple loosestrife beetle rearing programs for biological control. This program includes an instructional manual for utilizing the beetle-rearing project as an educational tool. Interested individuals can contact Green Lake County LCD, Green Lake Sanitary District, Green Lake Association, or Golden Sands RC&D for information.

Since 2013, Golden Sands RC&D has partnered with local schools in Green Lake County to add a lesson on invasive species to the curriculum. Green Lake County should see if there is interest for other invasive species-related projects to be initiated at local schools. This will continue into 2015 and beyond.

How else can youth get involved? Kids have a great time at volunteer EWM “pulling parties”, performing watercraft inspections at boat landings, helping with purple loosestrife rearing projects, or participating in the CLMN-AIS monitoring program. These are all great ways for lake groups to include youth in their AIS activities.

### Citizen Involvement

Attending workshops and conferences on lake issues and AIS issues is a great way for lake residents to learn about protecting the health of their lake. Citizens county-wide are encouraged to attend events like this. Some



*Samples are discussed and identified.*

lakes host annual Lake Fairs, and the Wisconsin Lakes hosts an annual statewide Lakes Convention, which provides valuable training for both citizens and professionals.



*Volunteers collecting aquatic plant samples for a plant ID workshop.*

### Outreach materials

Other methods of public education and outreach include the distribution of written materials, such as AIS pamphlets, videos, brochures, and “watchcards” developed by DNR and UW-Extension. These can be ordered free or at a minimal cost at

<http://dnr.wi.gov/invasives/aquatic/pdfs/PubCatalogue.pdf>. Publications can be distributed through local bait shops, dive shops, boat rental and sales shops, local chambers of commerce, resorts, restaurants, and other local businesses.

News articles in local papers can also be very effective ways to reach lake users. Articles can discuss specific AIS species, laws and ordinances, or volunteer programs. Some counties have also printed AIS placemats (Green Lake County) or bar coasters to distribute to restaurants near water bodies.

Signs at the boat landings can be another tool for education and outreach. The DNR had posted all public landings in the state with “Exotic Species Advisory” signs (if the lake had confirmed AIS), or with “Prevent the Spread” signs (if the lake had no confirmed AIS). New AIS signs were developed by the state and have been posted at all Green Lake County public boat landings. They replaced the old signs with one comprehensive sign. If any signs are seen to be damaged or missing, this should be reported to DNR or County LCD immediately.



“Prevent the Spread” sign



“Stop and Remove” sign



“Exotic Species Advisory” sign



The three previous DNR boat landing signs relating to AIS are being replaced with one comprehensive sign

Some citizen groups have created additional boat landing signage to reinforce the AIS message to lake users. These projects are eligible for funding assistance from the DNR AIS Grants Program.



A common method for aquatic invasive species to be introduced to water bodies is through water gardening and aquarium practices. Many of the plants that are desirable for water gardens and aquaria are fast growers, can tolerate a wide range of conditions, and are extremely strong competitors. These are exactly the characteristics that describe an invasive species. If these plants are released, they can quickly destroy the balance of our native ecosystems. A possible solution to this important issue would be to work with distributors of water garden plants, and encourage them to insert a “Do not release to waterways” stake into each pot. These stakes could also have a website printed on them for the consumer to visit if they wish to learn more about AIS and the dangers of releasing non-native species. WDNR has some of these stakes available at no cost. One species, water hyacinth, has been found numerous times in nearby counties in recent years.

### *Recommended Actions*

1. **Promote beetle-rearing projects for biological control of purple loosestrife**
  - a. Promote to schools/4-H/boy & girl scouts
  - b. Promote to citizen groups and other youth groups
  - c. Target lakes and wetlands with reported purple loosestrife infestations
  - d. Continue to work with Markesan and other schools, volunteers, and the Green Lake Sanitary District to utilize their beetle rearing facility.
  
2. **Promote lake fairs, workshops, and conferences to lakeshore residents county-wide**
  - a. Newsletter notices
  - b. Email notices
  - c. Website – Green Lake County, Green Lake Association, Town Square, or Golden Sands RC&D
  - d. Press releases to the media.
  
3. **Print AIS placemats or coasters for distribution in restaurants that are near lakes**
  
4. **Submit news articles**
  - a. New AIS species to watch for (flowering rush, spiny water flea, water hyacinth, other)
  - b. AIS prevention
  - c. Updates in AIS laws
  - d. Volunteer programs available
  
5. **Offer to assist local schools with AIS-related curriculum projects**
  
6. **Maintain AIS signage at boat landings and stream access points**
  - a. Include reporting procedures for damaged boat landing signs in AIS training to county staff
  
7. **Staff AIS education table/booth at public outreach events**

- a. Green Lake County fair
  - b. Specialized events (Whooping Crane Festival, tournaments)
8. **Encourage water garden suppliers to insert “Do not release to waterways” stakes into pots containing a known AIS**

### ***Step 5: Distribute the Workload***

Managing invasive species, even on a proactive level, can be a tremendous workload. By distributing the workload and allocating tasks per individual interest, a great deal can be accomplished.

In Green Lake County, various tasks are being accomplished by the County LCD and individuals. The Regional AIS Program’s role has been to collect information about those activities, to coordinate them, and fill in the gaps. Since the AIS workload is not expected to disappear, this program should be considered a permanent need, and funding secured to keep the position filled.

#### *Recommended Actions*

1. **Secure funding to continue the Regional AIS Program in Green Lake County**
  - a. County Land Conservation Department
  - b. Green Lake Sanitary District
  - c. Local Lake Associations and Districts
  - d. Local, Regional, State Grants
  - e. Citizens

### ***Step 6: Involve Local Government***

Local town or county governments can be wonderful resources to tap into for AIS matters. Below are a few creative ways that local government actions have been beneficial in community AIS efforts.

#### **Town Government**

*Grant sponsorship*—many town governments in Wisconsin have recognized an increasing need and inherent responsibility to support local lake and stream management efforts. Town governments can take an active role in the sponsorship of state lake grants. Lake or stream associations can work directly with their town boards to support grant applications on AIS-focused projects or other lake management projects. To learn more about the state lake grant programs, visit <http://www.dnr.wi.gov/lakes/grants> .

## **County Government**

*Community AIS partnerships*—County governments can offer a unique community support system pertaining to AIS efforts. Counties can coordinate and encourage townships to work together in unified lake protection efforts. One method of accomplishing this is by supporting an AIS program to coordinate AIS activities within the county.

*Law Enforcement*—local Conservation Wardens, and boat patrols are an important resource for volunteers regarding the “Illegal to Transport” law. This law makes it illegal for anyone to transport aquatic vegetation or animals like zebra mussels on a watercraft or associated equipment. CBCW volunteers active in the county may need to submit violation report forms to the local law enforcement for follow up. Good cooperation between local law enforcement and CBCW volunteers is important.

*Grant sponsorship*—County government can take an active role in the sponsorship of state-administered AIS grants. Counties can help local lake associations seek grants for many types of lake protection projects, including projects focused on AIS issues. County governments can also initiate AIS projects to be completed by County personnel. The AIS program can be funded through the AIS grant program with the DNR to accomplish such projects as AIS partnership coordination, volunteer monitoring support, educational campaigns, and more.

*Conservation departments*—the actions of Land Conservation Departments (LCDs) are directed by elected county board supervisors. LCD personnel are natural resource management professionals and are often well-versed in all aspects of AIS matters. The LCD is a natural home for county-wide lake protection and AIS initiatives, such as supporting an AIS program, enforcing and promoting shoreline buffers, and assisting with shoreland restoration or enhancement projects.

### *Recommended Actions*

- 1. DNR Conservation Warden, and local boat patrol support of AIS program boat inspectors and volunteer boat inspectors**
- 2. Local Police and Sheriff’s Department support**
- 3. County LCD continue AIS involvement through support of AIS program**
- 4. Create county ordinances to prevent the spread of AIS**

## **Step 7: Plug in to the Lakes Community Network**

Wisconsin is proud of its lake-rich heritage, and is host to hundreds of lake organizations. It is important for lake groups and lake managers to stay well connected with the “lakes community” and to stay up-to-date on local and state lake stewardship issues.

Below are suggestions on networking within the lakes community.

### **Statewide Lake Organizations**

Wisconsin Lakes (formerly Wisconsin Association of Lakes) is a non-profit statewide lake group working to protect Wisconsin's lakes through public policy, education, and local lake group assistance. Through Wisconsin Lakes, the lakes community can stay updated on current public policies that may ultimately affect the health of lakes throughout Wisconsin. They can also attend annual regional workshops that target key lake issues, and gain the support they need for individual lake group projects. For more information about Wisconsin Lakes, log onto their website at <http://www.wisconsinlakes.org>.

Lake managers with the DNR and UW-Extension come together at monthly Lake Team meetings to keep up-to-date with emerging lake issues, policies, and science. County AIS Coordinators have been invited to join this circle to stay in tune with DNR and UW-Extension initiatives. This is a highly recommended network for Green Lake County's AIS program staff to stay in touch with.

DNR and UW-Extension AIS staff has begun holding semi-annual meetings for county AIS Coordinators, to update coordinators with regard to state initiatives, new available resources, policy changes, and to give coordinators around the state a chance to network. This is another highly recommended network for the Green Lake County AIS program staff to stay in touch with.

### **Statewide Lakes Convention**

The Wisconsin Lakes Convention is an outstanding educational event that has brought hundreds of lake groups, state leaders, and natural resource professionals together in a celebration of Wisconsin's lakes. The convention is an excellent opportunity for learning, sharing, and discussing issues important to lake management. For more information about the annual Wisconsin Lakes Convention, log onto the UW-Extension Lakes Program website at <http://www.uwsp.edu/cnr/uwexplakes>. This convention is a highly recommended opportunity for the Green Lake County AIS Coordinator and representatives of the County LCD or individual lake groups.

### **County-wide Citizen Organizations**

County-wide citizen organizations provide an excellent opportunity to stay connected with the local lakes community, and share resources between citizen organizations in the county. Membership in a county-wide citizen organization offers a collective voice for advocating for regulatory changes, influencing public policy discussions, and discussions regarding the future growth of the community. Green Lake County lake groups should consider forming one of these organizations in the future.

### **Individual Citizen Organizations**

Citizen groups range from informal social groups to formalized lake associations or districts. An organized, functional citizen group can make a big difference in lake health protection. Citizen groups can be twice as effective when networking with other lake organizations who have struggled with similar issues—lack of funding, lack of volunteer interest or commitment, or lack of information, to give a few examples. Training opportunities like the Lake Leaders Institute, <http://www.uwsp.edu/cnr-ap/UWEXLakes/Pages/programs/lakeleaders/default.aspx>, is another

great way for individuals to improve their knowledge, interactions, and involvement with their lakes and other lake residence.

### *Recommended Actions*

- 1. Keep AIS program staff networked with the “lakes community”**
  - a. Wisconsin Lakes
  - b. Statewide Lake Team
  - c. AIS Coordinators’ meetings
  
- 2. Promote attendance at the Wisconsin Lakes Convention**
  - a. AIS program staff
  - b. Local governments
  - c. Lake groups or other citizen groups
  
- 3. 100% inclusive county lakes network, with a contact person to disseminate news and information through, even on lakes/streams without organized citizen groups**

### ***Step 8: Be Creative!***

Just as each lake is unique, so are the individuals that make up lake organizations. There is no “one size fits all” management criteria made to fit all lake or county situations.

The important similarity between lakes is that they all need a plan of action that is conducive to a healthy lake ecosystem and is realistic in time, money, and commitment. Consider using several of the proactive management steps for the best results.

This plan’s proactive management steps are ideas to help spur thoughts that fit Green Lake County’s lake management situation but sitting down with lake residents to brainstorm ideas can be very valuable. The important thing is that the County and the residents DO talk about it. Wisconsin waterways will always be vulnerable to invasions of aquatic invasive plants and animals. Proactive management is the best way of avoiding future AIS infestations.

#### *Creative Kids*

“Milfoil Masters” was a creative school project that kids from Minocqua-Hazelhurst-Lake Tomahawk Middle School came up with. Working off of a \$25,000 start-up grant, their idea evolved into the Clean Boats, Clean Waters program, which is now the statewide protocol for slowing the spread of AIS.

#### **Boat Wash Stations**

Big Green Lake is in a unique situation: having a non-profit lake association- the Green Lake Association (GLA), which has a partnership with the LCD and Green Lake Sanitary District

(GLSD). Together these organizations do a lot of lake protection work within the lake and the watershed. Using this unique partnership the three organizations have come together to work with Golden Sands RC&D to research and ultimately implement boat wash stations at the two County boat landings on Big Green Lake (Dodge Memorial and Sunset Parks).

The goal for the boat wash stations at these two landings is to achieve as close to 100% decontamination as close to 100% of the time as possible.

There are no existing boat wash stations like this in the State of Wisconsin to model after, therefore there is much planning to be done and many obstacles to overcome. Utilizing their partnership to conduct the research and organize the available resources to move this project forward is a necessity.

<i>Implementation Schedule: Recommended Actions</i>					
<u>Proactive Step</u>	<u>Recommended Action</u>	<u>Who</u>	<u>How</u>	<u>When</u>	<u>Progress</u>
<b>1) Gather info about AIS</b>	Continue AIS monitoring county-wide, assist lakes without recent AIS surveys	AIS program with support of LCD, Maintenance Dept.	Letters, emails, phone calls	ongoing	√+
	Update official AIS records in SWIMS	AIS Program	Confirm reports with vouchers, enter into WDNR's SWIMS database	ongoing	√+
	Update AIS volunteer activity record	AIS Program	Confirm activity from database, create table in SWIMS	ongoing	√+
<b>2) Protect and Restore Native Vegetation</b>	Enforce shoreline zoning ordinances	P&Z	Established process	ongoing	√+
	Annual review of zoning ordinances	P&Z	Established process	ongoing	√+
	Annual review of cost-sharing funding	P&Z	Established review process	annually	√+
	Create/expand county ordinances to address native aquatic vegetation	P&Z	Through ordinance process	2015+	
	Create/distrib. Info to property owners	LCD, citizen groups	Emails, mailings, hand-deliver to lake residents (citizen groups)	2015+	
	Promote native veg. in articles and press rel.	AIS Program	Write and submit press releases	ongoing	√+
<b>3) Conduct AIS Monitoring</b>	CLMN-AIS monitoring activity on ALL lakes	Citizen groups	AIS Program will train volunteers	2015+	IP
	CLMN-Secchi monitoring activity on ALL lakes	Citizen groups	UWSP-CLMN will train volunteers	2015+	IP
	Watercraft inspectors at landings	AIS Program, citizen groups	AIS Program will train volunteers and hire inspectors	ongoing	IP
	Train County staff to identify and report AIS sightings	AIS Program	AIS Program will train county staff	annually	√+
<b>4) Spread the word about AIS</b>	Promote beetle-rearing projects for biological control of purple loosestrife	Local schools, LCD, Sanitary Dist., AIS Program	Contact schools and groups, and offer supplies, training, and rearing facility.	ongoing	√+
	Promote lake fairs, workshops, and conferences to County lakeshore residents	AIS Program, LCD	Emails through network maintained by county or RC&D website	ongoing	√+
	Print AIS placemats or coasters	AIS Program, Citizen groups	AIS Program can assist with text/photos	ongoing	√+

	News articles	LCD, AIS Program	Write and distribute press releases	ongoing	√+
	Assist local schools with AIS-related curriculum	AIS Program	Take AIS lesson plan into classrooms upon request, assist with projects as requested	ongoing	√+
	Maintain AIS signage at boat landings	AIS Program	Keep record of boat landing signage, train others to collect signage info	ongoing	√+
	Work with water garden suppliers	AIS Program	Offer AIS posters, stakes to suppliers	ongoing	
	Staff AIS education table at public outreach venues	AIS Program	Staff table and offer information to public	ongoing	√+
<b>5) Distribute the workload</b>	Secure funding to continue the AIS Program in Green Lake County	AIS Program	Apply for DNR grant to continue program	ongoing	√+
<b>6) Involve local government</b>	Conservation Warden and local boat patrol support of AIS program boat inspectors and volunteers	AIS Program	Coordinate with DNR Water Guards and boat patrols to enforce AIS violations	ongoing	√+
	County LCD continue AIS involvement through support of AIS Program	LCD	Continue to place AIS in high priority, and provide County match on AIS grant	ongoing	√+
<b>7) Plug into the lakes community network</b>	Keep AIS Program staff networked with the lakes community	AIS Program	Attend WI Lakes Convention, Lake Team meetings, and AIS Coordinator meetings	ongoing	√+
	Promote attendance at the Wisconsin Lakes Convention	AIS Program	Email notices to contacts	ongoing	√+
	100% inclusive county lakes network	AIS Program	Send emails through distribution list	ongoing	√+

**Symbol Key**

√ Complete

√+ Complete and ongoing

**IP** In Progress **LCD** Land Conservation Department

**P&Z** Planning & Zoning

## Appendix A – Contacts List

### County

Green Lake County Land Conservation Dept. 571 County RD A Green Lake, WI 54941 920-294-4051	Green Lake Co Maintenance Dept. 571 County RD A Green Lake, WI 54941 920-294-4012
--	--

### Region

Amy Thorstenson, Executive Director  
Golden Sands Resource Conservation & Development Council, Inc  
1100 Main Street, Suite 150, Stevens Point, WI 54481  
715-346-1264 [Amy.Thorstenson@goldensandsrcd.org](mailto:Amy.Thorstenson@goldensandsrcd.org)

Chris Hamerla, Regional AIS Coordinator  
Golden Sands Resource Conservation & Development Council, Inc  
1100 Main Street, Suite 150, Stevens Point, WI 54481  
715-343-6278 [Chris.Hamerla@goldensandsrcd.org](mailto:Chris.Hamerla@goldensandsrcd.org)

Anna Cisar, Regional AIS Coordinator Green Lake & Marquette Counties  
Golden Sands Resource Conservation & Development Council, Inc.  
Marquette County: (608) 296-2815  
Green Lake County: (920) 294-4051 [Anna.Cisar@goldensandsrcd.org](mailto:Anna.Cisar@goldensandsrcd.org)

### State

Ted Johnson, DNR Lakes Biologist  
Wisconsin Department of Natural Resources  
625 E County RD Y, Suite 700, Oshkosh, WI 54901  
920-424-2104 [Tedm.johnson@wisconsin.gov](mailto:Tedm.johnson@wisconsin.gov)

University of Wisconsin Extension – Lakes Program  
College of Natural Resources, University of WI – Stevens Point  
800 Reserve St., Stevens Point, WI 54481  
715-346-2116 <http://www.uwsp.edu/cnr/uwexplakes>

Paul Skawinski  
Citizen Lake Monitoring Network Coordinator  
715-346-4853 [Paul.Skawinski@uwsp.edu](mailto:Paul.Skawinski@uwsp.edu)

Erin McFarlane  
Clean Boats, Clean Waters Volunteer Coordinator  
715-346-4978 [Erin.McFarlane@uwsp.edu](mailto:Erin.McFarlane@uwsp.edu)

Wisconsin Lakes  
One Point Place, Suite 101, Madison, WI 53719  
608-662-0923 or toll-free (WI only) 800-542-5253 <http://www.wisconsinlakes.org>

## Appendix B – Aquatic Plant Management Laws & Regulations

### Regulated and Unregulated Aquatic Plant Management Activities in Waters of Wisconsin

Activities	Water Bodies					
	Wetlands (non-navigable) <sup>1</sup>	Streams (navigable)	Flowages	Lakes <10 acres entirely confined on one property	Lakes	Fish farms (s. 95.96) w/ controllable outflow
Manual removal of native plants	No Permit	109 Permit required	109 Permit required if > 30ft wide	No Permit	109 Permit required if > 30ft wide	No Permit
Manual removal of exotic plants <sup>2</sup>	No Permit	No Permit	No Permit	No Permit	No Permit	No Permit
Mechanical harvesting	No Permit	109 Permit required	109 Permit required	No Permit	109 Permit required	No Permit
Chemical control	107 Permit required	107 Permit required	107 Permit required	107 Permit required	107 Permit required	No Permit
Biological control <sup>3</sup>	Stocking permit required	Stocking permit required	Stocking permit required	Stocking permit required	Stocking permit required	No Permit
Burning	No Permit	Permit required	Permit required	Permit required	Permit required	No Permit
Purple loosestrife control <sup>4</sup>	107 Permit required	107 Permit required	107 Permit required	107 Permit required	107 Permit required	No Permit
Native planting/stocking	No Permit	No Permit	No Permit	No Permit	Approval of Project	No Permit
Non-native planting/stocking	109 Permit required	109 Permit required	109 Permit required	109 Permit required	109 Permit required	No Permit
Incidental or scientific removal	No Permit	No Permit	No Permit	No Permit	No Permit	No Permit

- All activities must be conducted in an environmentally sound manner.
- All activities on privately owned land or land adjacent to privately owned lakefront property, or lakes confined on the property of one person must have the permission of that property owner.

<sup>1</sup>Confirm with DNR Water Management Specialist that wetland is non-navigable to be exempt of permit.

<sup>2</sup>No native plants may be removed during the process

<sup>3</sup>Use stocking permit for Eurasian watermilfoil weevils, form 9400-60, pursuant to s. 29.753 and NR 19.05.

<sup>3</sup>Must be a state cooperator if using purple loosestrife beetles for biocontrol.

Excerpted from “Aquatic Invasive Species: A Guide to Proactive and Reactive Management”, Carolyn Scholl, Vilas County LWCD, May 2006. *Edits made based on 2017 comments received from Scott Provost, then WDNR Water Resource Specialist.*

## References

- David, A. A., Zhou, H., Lewis, A., Yhann, A., Verra, S., 2017. DNA Barcoding of the Banded Mystery Snail, *Viviparus georgianus* in the Adirondacks with quantification of parasitic infection in the species. *American Malacological Bulletin* 35(2):175-180.
- Engel, S. 1995. Eurasian watermilfoil as a fishery management tool. *Fisheries*, 20:20–25.
- Harried, B., Fischer, K., Perez, K. E., Sandlord, G. J., 2015. Assessing infection patterns in Chinese mystery snails from Wisconsin, USA using field and laboratory approaches. *Aquatic Invasions*. 10:169-175.
- Johnson, J. A., Jones, A. R., Newman, R. M., 2012. Evaluation of lakewide, early season herbicide treatments for controlling invasive curlyleaf pondweed (*Potamogeton crispus*) in Minnesota lakes. *Lake and Reservoir Management* 28:346-363.
- Newroth, P.R. 1985. A review of Eurasian watermilfoil impacts and management in British Columbia. Pages 139-153 in L. W. J. Anderson, editor, *Proceedings of the First International Symposium on the watermilfoil (*Myriophyllum spicatum*) and related Haloragaceae species*. *Aquat. Plant Manage. Soc.*, Washington D. C.